# RESOURCE LETTER ON GEOMETRICAL RESULTS FOR EMBEDDINGS AND BRANES

# Matej Pavšič<sup>1</sup>

Department of Theoretical Physics Jožef Stefan Institute Jamova 39 SI–1000 Ljubljana, Slovenia

# Victor Tapia<sup>2</sup>

Departamento de Física Universidad Nacional Bogotá, Colombia

### Abstract

Due to the recent renewal in the interest for embedded surfaces we provide a list of commented references of interest.

# Introduction

The idea that our space—time can be considered as a four—dimensional space embedded in a higher—dimensional flat space is an old and recursive one. Recently, due to a proposal by Randall and Sundrum this idea has again attracted much attention. Since several related ideas had already been studied and several results had been obtained in the past we have considered convenient to provide a full account of the existing results on the subject.

 $<sup>^{1}{\</sup>tt MATEJ.PAVSIC@IJS.SI}$ 

<sup>&</sup>lt;sup>2</sup>TAPIENS@CIENCIAS.CIENCIAS.UNAL.EDU.CO

The choice of the references included in this letter is selective and has been dictated by some simple criteria. We have included only articles published on wide circulation journals and books, etc., except when they are of exceptional relevance or they has a historical character. We do not include electronic publications which have not passed a refereeing procedure. A simple search at SPIRES gives more than 1200 references containing the words brane, membrane, etc. Other criterion for inclusion in this letter is that the article made use of extrinsic Riemannian geometry.

## A. The Geometry of Embeddings

The concept of an abstract Riemannian manifold arises in mathematics as the result of an evolution in mathematical attitudes. In the earlier period, geometers thought of more concretely of curved surfaces embedded in a flat Euclidean space (Gauss, 1827), *i.e.*, they described the geometry of surfaces as embedded in a higher–dimensional space. The concept of an abstract Riemannian manifold, defined intrinsically, was first explicitly formulated by Riemann in his famous, althought little read, thesis, in 1850 (published only in 1868). In that work, what it is today known as Riemannian geometry was introduced. The geometrical properties of a manifold were characterised only by intrinsic properties, without any need of a reference to a higher dimensional embedding space.

Almost inmediately after this abstract view came into favour, a question naturally arose: the isometric embedding problem: The question of the existence of concrete realisations of abstract Riemannian manifolds as submanifolds of higher dimensional Euclidean spaces. Today we know that the answer is yes: any intrinsically defined Riemannian manifold can be isometrically embedded, locally and globally, in an Euclidean space of appropriate dimension and signature. The works cited in this section are mainly oriented to establish this equivalence.

The embedding problem was first considered by Schläfli (1873) just after the publication of Riemann work. He discussed the local form of the embedding problem and he conjectured that a Riemannian manifold with positive defined and analytic metric can be locally and isometrically embedded as a submanifold of a Euclidean space  $E_N$  with N = n(n+1)/2.

In 1926 Janet described a method of proof based on a power series development, so it was limited to local results. Furthermore, he required the metric to be analytic. This proof however, as Janet himself noticed, was incomplete. He solved only the local problem for two-dimensional manifolds

with analytic metric. In 1927 E. Cartan extended the Janet's proof to n-dimensional manifolds treating it as an application of his theory of Pfaffian forms. The dimensionality requirement was N = n(n+1)/2, as conjectured by Schläfli.

In 1931 Burstin completed the Janet's proof and also extended it to the case in which the embedding space is a given Riemannian manifold  $V_N$  with positive defined and analytic metric. The Gauss–Codazzi–Ricci equations are conditions to be satisfied by the embedding, therefore, they can be considered as integrability conditions for the embedding. In 1956 Leichtweiss gave a new proof based more substantially than Burstin in the Gauss–Codazzi–Ricci equations of Riemannian geometry. His proof is more involved than that provided by Burstin. In 1961 Friedman extended the theorem to Riemannian manifolds with indefinite metrics, such as the space–time used in contemporary gravitational theories. For semi–positive definite metrics see (Lense, 1926).

The first global isometric embedding theorem of  $V_n$  into  $E_N$  were established by Nash (1956). The results depend crucially on the compactness of  $V_n$ . For  $V_n$  compact he obtains N = n(3n+11)/2; for non-compact manifolds N = n(n+1)(3n+11)/2. The first global results for indefinite metrics were obtained by Clarke (1970) and Greene (1970). Recently, an improvement on Nash theorem was presented by Gunther (1989).

We may therefore conclude that any intrinsically defined Riemannian manifold has a local and a global, isometric embedding in some Euclidean space. Then one can consider the two approaches, intrinsic and extrinsic, to Riemannian geometry as completely equivalent.

This result opened new perspectives in theoretical physics, mainly in the physics of the gravitational field. On the one hand it was considered as a mathematical tool to construct and classify solutions of General Relativity. On the other hand, it allows to introduce new variables, perhaps more amenable for a description of quantum mechanical phenomena.

It is clear that some manifolds can be embedded in a higher dimensional space with a dimension lesser tahn the requirement fixed by the embedding theorem. Therefore, it is convenient to introduce the concept of class of the embedding, which is the minimal number of extra dimensions necessary to satisfy the Gauss–Codazzi–Ricci equations.

# B. Applications to General Relativity

At the beggining of the XX century General Relativity was developed

(by Einstein) based on Riemannian geometry. Almost immediately exact solutions were obtained based on the use of extrinsic geometry (Kasner, 1921). Several other results are contained in the references. A particularly important result is that Fridman–Robertson–Walker–Lemaı̆tre spaces are of embbeding class one (Robertson, 1933).

## C. Results Related to the Class of the Embedding

In this section we list several articles containing results specifically related to the class of the embedding of relevance for general relativity. Some articles containing results related to the class of the embedding but other more general results has already been listed in A or B. They are divided in: class 1; class 2; spherically symmetric fields (class 2); embedding of the Schwarzschild solution; and spherically symmetric fields of class 1.

### D. Extrinsic Gravity

Since the pioneer work of Sakharov in 1966, several attempts have been done in order to incorporate the concept of bending of space—time in gravitational theories. One way of doing this is by considering space—time as embedded in a higher–dimensional space. In this case the concept of bending has an inmediate geometric visualisation. The first attempt in this direction seems to be due to Regge and Teitelboim (1976). The idea was later revived by Pavšič in the eighties, and by Maia and Tapia in 1989.

### E. Strings and Membranes

During the 80's there was a good lot of work on string theories. Since the string is a (1-dimensional) geometrical object living in a higher-dimensional space the use of embedding should be an inmediate tool. However, even when the main developments in strings were in other directions there was also some work dealing with the geometrical, embedding, aspects of strings. Several proposals were done using embeddings and generalisations to other higher-dimensional (membranes) objects were studied.

### F. Rigid Particles and Zitterbewegung

The Dirac equation gives rise to the phenomenon of zitterbewegung (Schrödinger, 1930). Soon after that, it was realized that this motion can be explained by a helical motion of the electron (Huang, 1952; Corben, 1961). Later on, it was discovered that a helical motion can be described by an acceleration dependent Lagrangian (Liebowitz, 1969; Riewe, 1971, 1972). The relativistic generalizations making use of embedding geometry are many and are listed in this section.

#### G. New Brane World

A different approach to considering our universe as embedded in a higher–dimensional flat space was developed mainly by Akama (1978, 1983). A similar approach was pursued by Pavšič (1994,1996,1997,1998), who, in addition, proposed a model in which massive matter on the brane is due to the intersections with other branes (Pavšič, 1986). Recently the idea that our universe is a 3-brane moving in a higher dimensional space has been revived, but this time as a consequence of developments in other areas, mainly in string theory, M-theory and the like, with the proposal due to Randam and Sundrum (1999). The analysis of the Randam and Sundrum model in geometrical terms is discussed in (Anchordoqui, 2000).

### Acknowledgements

This work was partially done during a visit of the authors to The **Abdus** Salam International Centre for Theoretical Physics, Trieste, Italy.

## A. The Geometry of Embeddings

- K. F. Gauss, Disquisitiones generales circa superficies curvas (1827). English translation: General Investigations of Curved Surfaces of 1827 and 1825 by C.J. Morehead and A.M. Hiltebeitel (New York: Raven Press, 1965). In Karl Friedrich Gauss Werke, IV (1827).
- 2. B. Riemann, Über die Hypothesen welche der Geometrie zu Grunde liegen (1854). This thesis was presented on June 10th, 1854, in Göttingen and it was first published in Abh. Königl. gesellsch. 13, 1 (1868). It

- was translated into English by W.K. Clifford and published in *Nature* 8, 14 (1873). Since the work by Riemann was published only in 1868, this is the date usually used in the references in order to avoid confusion over the order of appearance, and precedence, of ideas in geometry.
- 3. L. Schläfli, Nota alla Memoria del Signor Beltrami, "Sugli spazìi di curvatura costante", Ann. di Mat. 2<sup>e</sup> série, 5, 170 (1871).
- 4. M. Janet, Sur la possibilité du plonger un espace riemannien donné dans un espace euclidien, Ann. Soc. Polon. Math. 5, 38 (1926).
- 5. J. E. Campbell, A Course of Differential Geometry (Clarendon, Oxford, 1926).
- 6. J. Lense, Über ametrische Mannifaltigkeiten und quadratische Differentialformen mit verchwindender Diskriminante, Jber. Deutsche Math. 35, 280 (1926).
- 7. L. P. Eisenhart, *Riemannian Geometry* (Princeton University Press, Princeton, 1926).
- 8. E. Cartan, Sur la possibilité de plonger un espace Riemannien donné dans un espace euclidien, Ann. Soc. Polon. Math. 6, 1 (1927).
- 9. C. Burstin, Ein Beitrag zum Problem der Einbettung der riemannschen Raume in Euklidischen Raumen, Rec. Math. Moscou (Math. Sbornik) 38, 74 (1931).
- 10. T. Y. Thomas, Riemannian spaces of class one and their characterisation, Acta Math. 67, 169 (1936).
- 11. J. A. Schouten and D. J. Struik, Einfürung in die neueren Methoden der Differentialgeometrie, Bd. 2 (Groninggen, 1938), S. 142.
- 12. T. Y. Thomas, *Imbedding theorems in differential geometry*, Bull. Am. Math. Soc. **45**, 841 (1939).
- N. A. Rosenson, On Riemannian spaces of class I. Parts I, II, III,
  Izvest. Akad. Nauk SSSR 4, 181 (1940); 5, 325 (1941); 7, 253 (1943);
  in Russian.
- 14. M. Matsumoto, Riemann spaces of class two and their algebraic characterisation. I, II, III, J. Math Soc. (Japan) 2, 67, 77, 87 (1950).

- 15. M. Matsumoto, On the special Riemann spaces of class two, Mem. Coll. Sci. Univ. Kyoto A math. 26, 149 (1951).
- 16. K. Leichtweiss, Das problem von Cauchy in der mehrdimensionalen Differentialgeometrie I, Math. Ann. 130, 442 (1956).
- 17. J. Nash, The imbedding problem for Riemannian manifolds, Ann. Math. 63, 20 (1956).
- 18. B. O'Neill, An algebraic criterion for inmersion, Pacific J. Math. 9, 1239 (1959).
- 19. A. Friedman, Local isometric embedding of Riemannian manifolds with indefinite metric, J. Math. Mech. 10, 625 (1961).
- 20. C. J. Clarke, On the isometric global embedding of pseudo-riemannian manifolds, Proc. Roy. Soc. London A **314**, 417 (1970).
- 21. R. E. Greene, Isometric embedding of Riemannian and pseudo-Riemannian manifolds, Memoirs Am. Math. Soc. n. 97 (1970).
- 22. H. Rund, Invariant Theory of Variational Problems on Subspaces of a Riemannian Manifold (Göttingen, Vandenhoeck and Ruprecht, 1971).
- 23. W. B. Bonnor, Null hypersurfaces in Minkowski space-time, Tensor, N. S. 24, 329 (1972).
- 24. H. Goenner, On the interdependence of the Gauss-Codazzi-Ricci equations of local isometric embedding, Gen. Rel. Grav. 8, 139 (1977).
- 25. M. Gunther, Zum Einbettungssatz von J. Nash, Math. Nachr. 144, 165 (1989).
- 26. K. Kobayashi, Fundamental equations for submanifolds, Fortschr. Phys. **37**, 599 (1989).

### B. Applications in General Relativity

1. A. Einstein, Zur Allgemeinen Relativitatstheorie, Preuss. Akad. Wiss. Berlin, Sitzber., 778 (1915).

- 2. E. Kasner, The impossibility of Einstein fields inmersed in flat space of five dimensions, Am. J. Math. 43, 126 (1921).
- 3. E. Kasner, Finite representation of the solar gravitational field in flat space of six dimensions, Am. J. Math. 43, 130 (1921).
- 4. J. A. Schouten and D. J. Struik, On some properties of general manifolds relating to Einstein's theory of gravitation, Am. J. Math. 43, 213 (1921)..
- E. Kasner, Geometrical theorems on Einstein's cosmological equations, Am. J. Math. 43, 217 (1921).
- 6. H. P. Robertson, On the foundations of relativistic cosmology, Proc. Nat. Acad. Sci. 15, 822 (1929).
- 7. H. P. Robertson, *Relativistic cosmology*, Rev. Mod. Phys. **5**, 62 (1933).
- 8. A. Gião, The equations of Codazzi and the relations between electromagnetism and gravitation, Phys. Rev. **76**, 764 (1949).
- I. Robinson and Y. Ne'eman, Seminar on the Embedding Problem, Rev. Mod. Phys. 37, 201 (1965).
  - This seminar's report contains the following individual papers:
- 10. A. Friedman, Isometric embedding of Riemannian manifolds into Euclidean spaces, Rev. Mod. Phys. 37, 201 (1965).
- 11. J. Rosen, Embedding of various relativistic Riemannian spaces in pseudo– Euclidean spaces, Rev. Mod. Phys. **37**, 204 (1965).
- 12. R. Penrose, A remarkable property of plane waves in general relativity, Rev. Mod. Phys. **37**, 215 (1965).
- 13. C. Fronsdal, *Elementary particles in a curved space*, Rev. Mod. Phys. **37**, 221 (1965).
- 14. D. W. Joseph, *Generalized covariance*, Rev. Mod. Phys. **37**, 225 (1965).

- 15. Y. Ne'eman, Embedded space—time and particle symmetries, Rev. Mod. Phys. **37**, 227 (1965).
- 16. P. Szekeres, Embedding properties of general relativistic manifolds, Nuovo Cimento 43, 1062 (1966).
- 17. C. D. Collinson, Embedding of the plane-fronted waves and other spacetimes, J. Math. Phys. **9**, 403 (1968).
- 18. P. Rastall, Inmersions of space-time, Canad. J. Phys. 47, 607 (1969).
- 19. I. Goldman and N. Rosen, A universe embedded in a five-dimensional flat space, Gen. Rel. Grav. 2, 367 (1971).
- 20. J. Krause, Embedding approach to a restricted covariance group in general relativity, Nuovo Cimento B 18, 302 (1973).
- 21. G. H. Goedecke, On global embedding, J. Math. Phys. 15, 789 (1974).
- 22. G. H. Goenner, Local isometric embedding of Riemannian manifolds with groups of motion, Gen. Rel. Grav. 6, 75 (1975).
- 23. M. D. Maia, Elementary systems in general relativity, J. Math. Phys. 16, 1689 (1975).
- 24. R. Kerner, Deformations of the embedded Einstein spaces, Gen. Rel. Grav. 9, 257 (1978).
- 25. M. D. Maia, Symmetry properties of embedded space-times, Braz. J. Phys. 8, 429 (1978).
- 26. S. Gallone, An extrinsic aspect of geometrodynamics, Nuovo Cimento B **49**, 149 (1979).
- 27. H. Goenner, Local isometric embedding of Riemannian manifolds and Einstein's theory of gravitation, in General Relativity and gravitation: one hundred years after the birth of Albert Einstein, ed. by A. Held (Plenum Press, New York, 1980).
- 28. D. Kramer, H. Stephani, E. Herlt and M. MacCallum, *Exact Solutions of Einstein's Field Equations* (Cambridge University Press, Cambridge, England, 1980), chapter 32.

- 29. M. Ferraris, Algebraic isometric embeddings of exact solutions of the Einstein equations, Atti Accad. Sci. Torino Cl. Sci. Fis. Mat. Natur. 114, 229 (1980/81).
- 30. M. D. Maia, Contacts of space-times, J. Math. Phys. 22, 538 (1981).
- 31. H. Stephani, Embedding, in Unified Field Theories of More than 4 Dimensions Including Exact Solutions, ed. by V. De Sabbata and E. Schmutzer (World Scientific, Singapore, 1983).
- 32. J. Ipser and P. Sikivie, *Gravitationally repulsive domain walls*, Phys. Rev. D **30**, 712 (1984).
- 33. M. D. Maia, Combined symmetries in curved space-times, J. Math. Phys. 25, 2090 (1984).
- 34. M. D. Maia, The physics of the Gauss-Codazzi-Ricci equations, J. Comput. Appl. Math. 5, 283 (1986).
- 35. M. D. Maia, Geometric space-time perturbation. I. Multiparameter perturbations, J. Math. Phys. 28, 647 (1987).
- M. D. Maia, Geometric space-time perturbation. II. Gauge invariance,
  J. Math. Phys. 28, 651 (1987).
- 37. I. Ozsváth and L. Sapiro, *The Schücking problem*, J. Math. Phys. **28**, 2066 (1987).
- 38. I. Ozsváth, An embedding problem, J. Math. Phys. 29, 825 (1988).
- 39. M. D. Maia and W. L. Roque, *Higher-order space-time contacts and equivalence*, J. Math. Phys. **32**, 2722 (1991).
- 40. I. Ozsváth, Embedding problem. II, J. Math. Phys. 33, 229 (1991).
- 41. G. Abolghasem, A. A. Coley and D. J. McManus, *Induced matter theory and embeddings in Riemann flat space-times*, J. Math. Phys. **37**, 361 (1996).
- 42. J. E. Lidsey, C. Romero, R. Tavakol and S. Rippl, On applications of Campbell's embedding theorem, Class. Quantum Grav. 14, 865 (1997).
- 43. J. E. Lidsey, R. Tavakol and C. Romero, *Campbell's embedding theo*rem, Mod. Phys. Lett. A **12**, 2319 (1997).

- 44. S. Deser and O. Levin, Equivalence of Hawking and Unruh temperatures and entropies through flat space embeddings, Class. Quantum Grav. 15, L85 (1998).
- 45. J. E. Lidsey, Embedding of superstring backgrounds in Einstein gravity, Phys. Lett. B **417**, 33 (1998).

## C. Results Related to the Class of the Embedding

## Embedding class 1:

- 1. K. P. Singh and S. N. Pandey, Riemannian fourfolds of class one and gravitation, Proc. Nat. Inst. Sci. India 26, 665 (1960).
- 2. H. Stephani, Über Lösungen der Einsteinschen Feldgleichungen die sich in einen fünfdimensionalen flachen Raum einbetten lassen, Commun. Math. Phys. 4, 137 (1967).
- 3. C. D. Collinson, Einstein–Maxwell fields of embedding class one, Commun. Math. Phys. 8, 1 (1968).
- 4. H. Stephani, Einige Lösungen der Einsteinschen Feldgleichungen mit idealer Flüssigkeit die sich in einen fünfdimensionalen Raum einbetten lassen, Commun. Math. Phys. 9, 53 (1968).
- 5. C. F. Jex, A criticism of Kasner's proof that no solution of  $G_{\mu\nu} = 0$  can be embedded in a flat five-space, Nuovo Cimento B **55**, 77 (1968).
- 6. S. N. Pandey and I. D. Kansal, *Impossibility of class one electromagnetic fields*, Proc. Cambridge Phil. Soc. **66**, 153 (1969).
- 7. S. N. Pandey and Y. K. Gupta, Space-time of class one and perfect fluid distribution, Univ. Roorkee Res. J. 12, 9 (1970).
- 8. C. D. Collinson, A theorem on the local isometric embedding of empty space-times in a space of constant curvature, J. Phys. A: Math. Gen. 4, 206 (1971).
- 9. R. N. Tiwari, *Riemannian fourfolds of class one*, Gen. Rel. Grav. **3**, 211 (1971).

- 10. G. P. Pokhariyal, Perfect fluid distribution in class one space time, Gen. Rel. Grav. 3, 87 (1972).
- 11. A. Barnes, Space-times of embedding class one in general relativity, Gen. Rel. Grav. 5, 147 (1974).
- 12. Y. K. Gupta and S. N. Pandey, *Electromagnetic fields of embedding class one*, Indian J. Pure Appl. Math. **6**, 1388 (1975).
- 13. J. Krause, The de Donder coordinate condition and minimal class-1 space-time, J. Math. Phys. 16, 1090 (1975).
- 14. H. Goenner, Intrinsically and energetically rigid space-times of class one, Tensor (N.S.) **30**, 15 (1976).
- 15. J. Krause, Structure of the Einstein tensor for class-1 embedded spacetime, Nuovo Cimento B **32**, 381 (1976).
- 16. G. P. Pokhariyal, Perfect fluid distribution in class one space time. II, Prog. Math. (Allahabad) 10, 11 (1976).
- 17. S. N. Pandey and S. P. Sharma, *Plane symmetric space-time of class* 1, Gen. Rel. Grav. 8, 147 (1977).
- 18. R. Tikekar, A note on plane symmetric perfect fluid distributions of embedding class one, Indian J. Pure Appl. Math. 11, 1681 (1980).
- 19. K. P. Singh and O. N. Singh, A class one cosmological model of electrified viscous fluid, Proc. Nat. Acad. Sci. India A 53, 135 (1983).
- 20. Y. K. Gupta and S. P. Sharma, Eisntein–Rosen cylindrically symmetric space–time subject to class-one conditions, Gen. Rel. Grav. 16, 349 (1984).
- 21. Y. K. Gupta and S. P. Sharma, Self-gravitating fluids of class one with nonvanishing Weyl tensor, J. Math. Phys. 25, 3510 (1984).
- 22. Y. K. Gupta and R. S. Gupta, Nonstatic analogues of Kohler-Chao solution of imbedding class one, Gen. Rel. Grav. 18, 641 (1986).
- 23. R. Fuentes V., J. L. Lopez B., G. Ovando Z. and T. Matos, *Space-time of class one*, Gen. Rel. Grav. **21**, 777 (1989).

- 24. D. Ladino-Luna and J. L. López B., Space-time of class one, Rev. Mex. Fis. **35**, 623 (1989); In Spanish.
- 25. D. Ladino-Luna, Spacetime of class one with perfect fluid, Rev. Mex. Fis. **36**, 177 (1990).
- 26. D. Ladino-Luna, J. L. López B., J. Morales R. and G. Ovando Z.,  $R_4$  embedded in  $E_5$ , Rev. Mex. Fis. **36**, 354 (1990); In Spanish.
- 27. Abdussattar and D. K. Singh, A plane symmetric Lichnerowicz universe of class one, Prog. Math. (Varanasi) 25, 121 (1991).
- 28. S. R. Roy and A. Prasad, An L.R.S. Bianchi type V model of local embedding class one, Prog. Math (Varanasi) 25, 79 (1994).
- 29. S. R. Roy and A. Prasad, Some L.R.S. Bianchi type V cosmological models of local embedding class one, Gen. Rel. Grav. 26, 939 (1994).
- 30. Y. K. Gupta and J. R. Sharma, Non-static non-conformally flat fluid plates of embedding class one, Gen. Rel. Grav. 28, 1447 (1996).

Embeddings of Class 2:

- 31. C. D. Collinson, Empty space-times of embedding class two, J. Math. Phys. 7, 608 (1966).
- 32. H. J. Efinger, *Embedding of a relativistic charged particle*, Commun. Math. Phys. **2**, 55 (1966).
- 33. M. Sh. Yakupov, On Einstein spaces of embedding class two, Dokl. Akad. Nauk SSSR **180**, 1096 (1968); in Russian.
- 34. M. S. Jakupov, An algebraic chracterization of Einstein spaces of class two, Gravitation and the Theory of Relativity 4–5, 78 (1968); In Russian.
- 35. M. Sh. Yakupov, *Einstein spaces of class two*, Grav. i Teor. Otnos., Univ Kazan **9**, 109 (1973); In Russian.
- 36. Y. K. Gupta and P. Goel, Class II analogue of T. Y. Thomas's theorem and different types of embeddings of static spherically symmetric spacetimes, Gen. Rel. Grav. 6, 499 (1975).

- 37. D. E. Hodgkinson, Empty space-times of embedding class two, Gen. Rel. Grav. 16, 569 (1984).
- 38. D. E. Hodgkinson, Type D empty space-times of embedding class 2, Gen. Rel. Grav. 19, 253 (1987).
- 39. M. R. Meskhishvili, Einstein–Maxwell fields with cosmological term of embedding class one, Soobshch. Akad. Nauk Gruzzi 142, 297 (1991).
- 40. N. Van den bergh, Lorentz- and hyperrotation-invariant classification of symmetric tensors and the embedding class-2 problem, Class. Quantum Grav. 13, 2817 (1996).
- 41. N. Van den Bergh, Vacuum solutions of embedding class 2; Petrov types D and N, Class. Quantum Grav. 13, 2839 (1996).
- 42. N. Van den Bergh, A classification of embedding class 2 vacua, Helv. Phys. Acta **69**, 325 (1996).

Spherically Symmetric Embeddings (Class 2):

- 43. J. Eiesland, *The group of motions of an Einstein space*, Trans. Amer. Math. Soc. **27**, 213 (1925).
- 44. J. Plebañski, Spherically symmetric worlds as embedded in a flat space, Bull. Acad. Polon. Sci. Ser. Math. Astron. Phys. (10), 373 (1962).
- 45. M. Ikeda, S. Kitamura and M. Matsumoto, On the embedding of spherically symmetric space-times, J. Math. Kyoto Univ. 3, 71 (1963).
- 46. G. Sassi, Parametrical embedding of static spherically symmetric spacetimes, Gen. Rel. Grav. 23, 367 (1991).

Embedding of the Schwarzschild and related metrics:

- 47. C. Fronsdal, Completion and embedding of the Schwarzschild solution, Phys. Rev. 116, 778 (1959).
- 48. M. D. Kruskal, *Maximal extension of Schwarzschild metric*, Phys. Rev. **119**, 1743 (1960).

- 49. T. Fujitani, M. Ikeda and M. Matsumoto, On the embedding of the Schwarzschild space-time. I, II, III, J. Math. Kyoto Univ. 1, 43 (1961); 1, 63 (1961); 2, 255 (1962).
- 50. J. Rosen, Embedding of the Schwarzschild and Reissner-Weyl solutions, Nuovo Cimento 38, 631 (1965).
- 51. M. Ferraris and M. Francaviglia, An algebraic embedding of Schwarzschild space–time, Atti Accad. Sci. Torino Cl. Sci. Fis. Mat. Natur. 111, 315 (1977).
- 52. M. Ferraris and M. Francaviglia, An algebraic isometric embedding of Kruskal space-time, Gen. Rel. Grav. 10, 283 (1979).
- 53. M. Ferraris and M. Francaviglia, Algebraic isometric embeddings of charged spherically symmetric space-times, Gen. Rel. Grav. 12, 791 (1980).
- 54. C. F. Chyba, Time-dependent embeddings for Schwarzschild-like solutions to the gravitational field equations, J. Math. Phys. 23, 1662 (1982).
- 55. M. P. Korkina and S. V. Buts, Embedding of the Schwarzschild-Friedmann model into a six-dimensional flat space, Russian Phys. J. **37**, 59 (1994).
- 56. J. F. Plebanski, An embedding of a Schwarzschild black hole in terms of elementary functions, Acta Phys. Polon. B 26, 875 (1995).

Spherically symmetric embeddings of class 1:

- 57. K. R. Karmarkar, Gravitational metrics of spherical symmetry and class one, Proc. Indian Acad. Sci. A 27, 56 (1948).
- 58. M. Kohler and K. L. Chao, Zentralsymmetrische statische Schwerefelder mit Räumen der Klasse I, Z. Naturforsch. 20a, 1537 (1965).
- 59. S. Kitamura, The imbedding of spherically symmetric space times in a Riemannian 5-space of constant curvature. I, II, Tensor (N.S.) 16, 74 (1965); 17, 185 (1966).

- 60. H. Takeno, On the imbedding problem of spherically symmetric space times, in Perspectives in geometry and relativity, ed. by B. Hoffmann (Indiana University Press, Bloomington, Indiana, 1966).
- 61. S. N. Pandey and I. P. Kansal, Spherically symmetric space-time of class one and electromagnetism, Proc. Cambridge Phil. Soc. **64**, 757 (1968).
- 62. J. Krishna-Rao, On spherically symmetric perfect fluid distributions and class one property, Gen, Rel. Grav. 2, 385 (1971).
- 63. S. Kitamura, On spherically symmetric and plane symmetric perfect fluid solutions and their embedding of class one, Tensor N. S. 48, 169 (1989).
- 64. M. P. Dabrowski, Isometric embedding of the spherically symmetric Stephani universe: some explicit examples, J. Math. Phys. **34**, 1447 (1993).

Embeddings of class 5. The Kerr metric:

- 65. R. R. Kuzeev, *Inmersion class of a Kerr field*, Gravitatsiya i Teoriya Otnositelnosti, **16**, 93 (1980); in Russian.
- 66. R. R. Kuzeev, *Imbedding of Kerr's space-time*, Gravitatsiya i Teoriya Otnositelnosti, **18**, 75 (1981); in Russian.
- 67. N. A. Sharp, On embeddings of the Kerr geometry, Canad. J. Phys. **59**, 688 (1981).
- 68. R. R. Kuzeev, *Imbedding of the Kerr–Newman metric*, Gravitatsiya i Teoriya Otnositelnosti, **21**, 123 (1984); in Russian.
- 69. J. R. Arteaga, *Involution and embedding of metrics*, Lect. Mat. **16**, 13 (1995); In Spanish.

# D. Extrinsic Gravity

- A. D. Sakharov, Vacuum quantum fluctuations in curved space and the theory of gravitation, Dokl. Akad. Nauk SSSR 177, 70, (1967), in Russian; English translation: Sov. Phys. Dokl. 12, 1040 (1968). Reprinted in Gen. Rel. Grav. 32, 361 (2000).
- 2. T. Regge and C. Teitelboim, General relativity a la string: a progress report, in Proceedings of the First Marcel Grossmann Meeting, Trieste, Italy, 1975, ed. by R. Ruffini (North-Holland, Amsterdam, 1977).
- 3. S. Deser, F. A. E. Pirani and D. C. Robinson, New embedding model of general relativity, Phys. Rev. D 14, 3301 (1976).
- 4. S. Naka and C. Itoi, Induced gravity in higher-dimensional spacetime and the mass scale of the Kaluza-Klein theory, Prog. Theor. Phys. **70**, 1414 (1983).
- 5. M. D. Maia and W. Mecklenburg, Aspects of high-dimensional theories in embedding spaces, J. Math. Phys. 25, 3047 (1984).
- 6. M. D. Maia, Geometry of Kaluza–Klein theory. I. Basic setting, Phys. Rev. D 31, 262 (1985).
- M. D. Maia, Geometry of Kaluza-Klein theory. II. Field equations, Phys. Rev. D 31, 268 (1985).
- 8. M. Pavšič, On the quantisation of gravity by embedding spacetime in a higher dimensional space, Class. Quantum Grav. 2, 869 (1985).
- 9. M. Pavšič, Classical theory of a space-time sheet, Phys. Lett. A 107, 66 (1985).
- 10. M. D. Maia, *On Kaluza–Klein relativity*, Gen. Rel. Grav. **18**, 695 (1986).
- 11. M. D. Maia, On the integrability conditions for extended objects, Class. Quantum Grav. **6**, 173 (1989).
- 12. M. D. Maia and W. L. Roque, *Classical membrane cosmology*, Phys. Lett. A **139**, 121 (1989).
- 13. V. Tapia, Gravitation a la string, Clas. Quantum Grav. 6, L49 (1989).
- 14. V. Tapia, On the role of extrinsic Riemannian geometry in gravitation, Rev. Mex. Fis. **36**, S164 (1990).

- 15. V. A. Franke and V. Tapia, *The ADM Lagrangian in extrinsic gravity*, Nuovo Cimento B **107**, 611 (1992).
- M. Pavšič, On the embedding models of gravity and their prospects, in Proc. M. Grossmann Meeting 1991 (World Scientific, Singapore, 1993).
- 17. M. D. Maia and G. S. Silva, Geometrical constraints on the cosmological constant, Phys. Rev. D **50**, 7233 (1994).
- 18. E. M. Monte and M. D. Maia, The twisting connection of space-time, J. Math. Phys. **37**, 1972 (1996).
- 19. C. Romero, R. Tavakol and R. Zalatednikov, *The embedding of general relativity in five dimensions*, Gen. Rel. Grav. **28**, 365 (1996).
- 20. E. M. Monte and M. D. Maia, Geometry of the Einstein and Yang–Mills equations, Int. J. Theor. Phys. 36, 2827 (1997).
- 21. S. S. Kokarev, *GR* and multidimensional elasticity theory, Grav. Cosmol. 4, 96 (1998)
- 22. S. S. Kokarev, Space–time as multidimensional elastic plate, Nuovo Cimento B 113, 1339 (1998)
- 23. S. S. Kokarev, *Space-time as a strongly bent plate*, Nuovo Cimento B **114**, 903 (1999).

### E. Strings and Membranes

- 1. P. A. M. Dirac, An extensible model of the electron, Proc. Roy. Soc. A 268, 7 (1962).
- 2. B. M. Barbashov and N. A. Chernikov, Solution and quantization of a nonlinear two-dimensional model for a Born-Infeld type field, Soviet Phys. JETP 23, 861 (1966).
- 3. Y. Nambu, Duality and Hydrodynamics, in Copenhagen Symposium on Strings (1970).

- 4. T. Goto, Relativistic quantum mechanics of one-dimensional mechanical continuum and subsidiary condition of dual resonance model, Prog. Theor. Phys. 46, 1560 (1971).
- 5. W. Helfrich, Z. Naturforsch. C 28, 693 (1973).
- 6. A. O. Barut, Relativistic Composite Systems and Extensible Models of Fields and Particles, (1974).
- 7. P. A. Collins and R. W. Tucker, Classical and quantum mechanics of free relativistic membranes, Nucl. Phys. B 112, 150 (1976).
- 8. P. S. Letelier, Classical dynamics of (n+1)-dimensional minimal surfaces, (1977).
- 9. A. Aurilia, D. Christodoulou and F. Legovini, A classical interpretation of the bag model for hadrons, Phys. Lett. B **73**, 429 (1978).
- 10. A. Aurilia and D. Christodoulou, *Dynamics of a relativistic bubble*, Phys. Lett. B **78**, 589 (1978).
- 11. B. M. Barbashov and V. V. Nesterenko, *Relativistic string model in a space-time of constant curvature*, Commun. Math. Phys. **78**, 499 (1981).
- 12. A. Sugamoto, Nucl. Phys. B **215**, 381 (1981).
- 13. B. M. Barbashov, V. V. Nesterenko and A. M. Cheryakov, General solutions of nonlinear equations in the geometric theory of the relativistic string, Commun. Math. Phys. 84, 471 (1982).
- 14. P. G. de Gennes and C. Taupin, J. Phys. Chem. 86, 2294 (1982).
- 15. B. M. Barbashov and V. V. Nesterenko, Bäcklund transformation for the Liouville equation and gauge conditions in the theory of a relativistic string, Theor. Math. Phys. **56**, 752 (1983).
- 16. W. Helfrich, Effect of thermal undulations on the rigidity of fluid membranes and interfaces, J. Physique 46, 1263 (1985).
- 17. L. Peliti and S. Leibler, Phys. Rev. Lett. 54, 1690 (1985).
- 18. T. L. Curtright, G. I. Ghandour, C. B. Thorn and C. K. Zachos, *Trajectories of strings with rigidity*, Phys. Rev. Lett. **57**, 799 (1986).

- 19. T. L. Curtright, G. I. Ghandour and C. K. Zachos, *Classical dynamics of strings with rigidity*, Phys. Rev. D **34**, 3811 (1986).
- 20. F. David, Rigid surfaces in a space with large dimensionality, Europhys. Lett. 2, 577 (1986).
- 21. D. Förster, On the scale dependence, due to thermal fluctuations, of the elastic properties of membranes, Phys. Lett. A 114, 115 (1986).
- 22. W. Helfrich, Size distributions of vesicles: the role of the effective rigidity of membranes, J. Physique 47, 321 (1986).
- 23. A. Kavalov and A. Sedrakyan, Phys. Lett. B 182, 33 (1986).
- 24. H. Kleinert, Thermal softening of curvature elasticity in membranes, Phys. Lett. A 114, 263 (1986).
- 25. H. Kleinert, Size distribution of spherical vesicles, Phys. Lett. A 116, 57 (1986).
- 26. H. Kleinert, The membrane properties of condensing strings, Phys. Lett. B 174, 335 (1986).
- 27. L. Peliti, Physica A **146**, 269 (1986).
- 28. A. M. Polyakov, Fine structure of strings, Nucl. Phys. B **268**, 406 (1986).
- 29. F. Alonso and D. Espriu, On the fine structure of strings, Nucl. Phys. B **283**, 393 (1987).
- 30. J. Ambjørn, B. Durhuus, J. Frölich and J. Jonsson, Regularised strings with extrinsic curvature, Nucl. Phys. B **290**, 480 (1987).
- 31. A. Aurilia, R. S. Kissack, R. Mann and E. Spalucci, *Relativistic bubble dynamics: From cosmic inflation to hadronic bags*, Phys. Rev. D **35**, 2961 (1987).
- 32. E. Braaten, R. D. Pisarski and S.-M. Tse, Static potential for smooth strings, Phys. Rev. Lett. **58**, 93 (1987).
- 33. E. Braaten and S.-M. Tse, Static potential for smooth strings in the large-D limit, Phys. Rev. D 36, 3102 (1987).

- 34. E. Braaten and C. K. Zachos, *Instability of the static solution to the closed string with rigidity*, Phys. Rev. D **35**, 1512 (1987).
- 35. F. David and E. Guitter, *Instabilities in membrane models*, Euorphys. Lett. **3**, 1169 (1987).
- 36. D. Foerster, Tangential flows in fluid membranes and their effect on the softening of curvature rigidity with scale, Europhys. Lett. 4, 65 (1987).
- 37. K. Fujikawa and J. Kubo, On the quantization of membrane theories, Phys. Lett. B **199**, 75 (1987).
- 38. W. Helfrich, Measures of integration in calculating the effective rigidity of fluid surfaces, J. Physique 48, 285 (1987).
- 39. J. Hoppe, Relativistic minimal surfaces, Phys. Lett. B **196**, 451 (1987).
- 40. H. Kleinert, Phys. Rev. Lett. 58, 1915 (1987).
- 41. P. O. Mazur and V. P. Nair, Nucl. Phys. B 284, 146 (1987).
- 42. P. Olesen and S.-K. Yang, Nucl. Phys. B 283, 73 (1987).
- 43. M. Pavšič, Phase space action for minimal surfaces of any dimension in curved space-time, Phys. Lett. B **197**, 327 (1987).
- 44. R. D. Pisarski, Phys. Rev. Lett. 58, 1300 (1987).
- 45. R. Amorim and J. Barcelos–Neto, Effective Lagrangians for p-branes, Int. J. Mod. Phys. A 5, 2667 (1988).
- 46. A. O. Barut and M. Pavšič, *The spinning minimal surfaces without the Grassmann variables*, Lett. Math. Phys. **16**, 333 (1988).
- 47. F. David and E. Guitter, *Rigid random surfaces at large d*, Nucl. Phys. B **295**, 332 (1988).
- 48. B. P. Dolan and D. H. Tchrakian, New Lagrangians for bosonic m-branes with vanishing cosmological constant, Phys. Lett. B **202**, 211 (1988).
- 49. J. Gamboa and M. Ruiz-Altaba, Functional diffusion equation for membranes, Phys. Lett. B 205, 245 (1988).

- 50. R. Gregory, Effective action for a cosmic string, Phys. Lett. B **206**, 199 (1988).
- 51. R. Gregory, Cosmic string actions, (1988).
- 52. C.–L. Ho and Y. Hosotani, *Field theory of geometric membranes*, Phys. Rev. Lett. **60**, 885 (1988).
- 53. C. Itoi, Extrinsic torsion in rigid strings, Phys. Lett. B **211**, 146 91988).
- 54. C. Itoi and H. Kubota, *BRST quantization of the string model with extrinsic curvature*, Phys. Lett. B **202**, 381 (1988).
- 55. H. Kleinert, Dynamical generation of string tension and stiffness in strings and membranes, Phys. Lett. B **211**, 151 (1988).
- 56. K. I. Maeda and N. Turok, Finite-width corrections to the Nambu action for the Nielsen-Olensen string, Phys. Lett. B 202, 376 (1988).
- 57. N. Mankoč-Borštnik and M. Pavšič, A systematic examination of fivedimensional Kaluza-Klein theory with sources consisting of point particles or strings, Nuovo Cimento A 99, 489 (1988).
- 58. V. V. Nesterenko and Nguen Suan Han, *The Hamiltonian formalism in the model of the relativistic string with rigidity*, Int. J. Mod. Phys. A **3**, 2315 (1988).
- 59. J. A. Nieto, A relativistic 3-dimensional extenden object: the terron, Rev. Mex. Fis. **34**, 597 (1988).
- 60. M. Pavšič, Generalisation of the BDHP string action to membranes of any dimension in curved spacetime, Class. Quantum Grav. 5, 247 (1988).
- 61. M. Pavšič, Classical motion of membranes, strings and point particles with extrinsic curvature, Phys. Lett. B **205**, 231 (1988).
- 62. K. S. Viswanathan and X. Zhou, *H-invariance*, imbedding ghost, and string with extrinsic curvature, Phys. Lett. B **202**, 217 (1988).
- 63. S. M. Barr and D. Hochberg, *Fine structure of local and axion strings*, Phys. Rev. D **39**, 2308 (1989).

- 64. F. David, Geometry and field theory of random surfaces and membranes, in Statistical Mechanics of Membranes and Surfaces, ed. by D. R. Nelson, T. Piran and S. Weinberg, Winter School for Theoretical Physics (World Scientific, Singapore, 1989).
- 65. E. Eizenberg and Y. Ne'eman, Classical Lagrangian and Hamiltonian formalisms for elementary extendons, Nuovo Cimento A 102, 1183 (1989).
- 66. D. H. Hartley, M. Önder and R. W. Tucker, On the Einstein–Maxwell equations for a 'stiff' membrane, Class. Quantum Grav. 6, 1301 (1989).
- 67. C. Itoi and H. Kubota, Gauge invariance based on the extrinsic geometry in the rigid string, Z. Phys. C 44, 337 (1989).
- 68. H. Koibuchi and M. Yamada, Statistical mechanics of a rigid bubble: higher derivative quantum gravity on a spherical random surface embedded in E<sup>3</sup>, Mod. Phys. Lett. A 4, 2417 (1989).
- 69. H. Luckock amd I. Moss, The quantum geometry of random surfaces and spinning membranes, Class. Quantum Grav. 6, 1993 (1989).
- 70. K. M. Short, Strings and membranes in curved space, Class. Quantum Grav. 6, 1351 (1989).
- 71. V. Tapia, The geometrical meaning of the harmonic gauge for minimal surfaces, Nuovo Cimento B 103, 435 (1989).
- 72. G. Gonnella, A comment to "regularised strings with extrinsic curvature", Phys. Lett. B **240**, 77 (1990).
- 73. J. Hoppe, Membranes and integrable systems, Phys. Lett. B **250**, 44 (1990).
- 74. M. S. Kafkalidis, A geometric approach to the path integral formalism of p-branes, J. Math. Phys. 31, 2864 (1990).
- 75. P. Letelier, Nambu bubbles with curvature corrections, Phys. Rev. D 41, 1333 (1990).
- 76. M. N. Stoilov and D. Tz. Stoyanov, A model of p-branes with closed-constraint algebra, J. Phys. A: Math. Gen. 23, 5925 (1990).

- 77. X. Zhou, Static quark potential for a rigid string with constant density, Phys. Lett. B 238, 205 (1990).
- 78. R. Beig, Classical geometry of bosonic string dynamics, Int. J. Theor. Phys. **30**, 211 (1991).
- 79. G. Germán, Some developments in Polyakov–Kleinert string with extrinsic curvature stiffness, Mod. Phys. Lett. A 6, 1815 (1991).
- 80. T. H. Hansson, J. Isberg, U. Lindström, H. Nordström and J. Grundberg, *Rigid strings from field theory*, Phys. Lett. B **261**, 379 (1991).
- 81. J. A. Nieto and C. Nuñez, *Strings from Weyl invariant membranes*, Nuovo Cimento B **106**, 1045 (1991).
- 82. T. Onogi, Phase transitions in the Nambu–Goto string model with extrinsic curvature, Phys. Lett. B **255**, 209 (1991).
- 83. G. M. Sotkov, M. Stanishkov and C.-J. Zhu, Extrinsic geometry of strings and W-gravities, Nucl. Phys. B **356**, 245 (1991).
- 84. P. Węgrzyn, Edge conditions for the open string with rigidity, Phys. Lett. B **269**, 311 (1991).
- 85. A. O. Barut and M. Pavšič, A covariant canonical decomposition of the bosonic and spinning extended objects with electric charge, Mod. Phys. Lett. A 7, 1381 (1992).
- 86. B. Carter, Basic brane theory, Class. Quantum Grav. 9 S19 (1992).
- 87. V. V. Nesterenko and N. R. Shvetz, *The Casimir energy of the rigid string with massive ends*, Z. Phys. C **55**, 265 (1992).
- 88. M. Pavšič, *Point particle-like action for p-branes*, Class. Quantum Grav. **9**, L13 (1992).
- 89. A. Antillón and G. Germán, Numerical study of the Nambu–Goto string model at finite lenght and temperature, Phys. Rev. D 47, 4567 (1993).
- 90. A. Aurilia and E. Spallucci, *Gauge theory of relativistic membranes*, Class. Quantum Grav. **10**, 1217 (1993).

- 91. A. O. Barut and M. Pavšič, Dirac's shell model of the electron and the general theory of moving relativistic chraged membranes, Phys. Lett. B **306**, 49 (1993).
- B. Carter, Perturbation dynamics for membranes and strings governed by Dirac Goto Nambu action in curved space, Phys. Rev. D 48, 4853 (1993).
- 93. A. Itô, Skyrme-like Lagrangian and Nambu-Goto-type action, Nuovo Cimento A 106, 423 (1993).
- 94. V. Silveira and M. D. Maia, Topological defects and corrections to the Nambu action, Phys. Lett. A 174, 280 (1993).
- 95. A. O. Barut and M. Pavšič, Radiation reaction and the electromagnetic energy-momentum tensor of moving relativistic charged membranes, Phys. Lett. B **331**, 45 (1994).
- 96. B. Carter, Equations of motion of a stiff geodynamic string or higher brane, Class. Quantum Grav. 11, 2677 (1994).
- 97. P. Orland, Extrinsic curvature dependence of Nielsen-Olesen strings, Nucl. Phys. B **428**, 221 (1994).
- 98. J. F. Wheater, Random surfaces: from polymer membranes to strings, J. Phys. A: Math. Gen. 27, 3323 (1994).
- 99. R. A. Battye and B. Carter, Gravitational perturbations of relativistic membranes and strings, Phys. Lett. B **357**, 29 (1995).
- 100. R. Capovilla and J. Guven, Algebra of surface deformations, Class. Quantum Grav. 12, L107 (1995).
- 101. R. Capovilla and J. Guven, Geometry of deformations of relativistic membranes, Phys. Rev. D 51, 6736 (1995).
- 102. R. Capovilla and J. Guven, Large deformations of relativistic membranes: a generalization of the Raychaudhuri equations, Phys. Rev. D 52, 1072 (1995).
- 103. A. L. Kholodenko and V. V. Nesterenko, *Classical dynamics of rigid string from the Willmore functional*, J. Geom. Phys. **16**, 15 (1995).

- 104. Y. Ne'eman and E. Eizenberg, *Membranes and other extendons:* p-branes (World Scientific, Singapore, 1995).
- 105. M. Pavšič, Relativistic p-branes without constraints and their relation to the wiggly extended objects, Found. Phys. **25**, 819 (1995).
- 106. M. Pavšič, The classical and quantum theory of relativistic p-branes without constraints, Nuovo Cimento A 108, 221 (1995).
- 107. I. A. Bandos, On a zero curvature representation for bosonic strings and p branes, Phys. Lett. B 388, 35 (1996).
- R. Capovilla, R. Cordero and J. Guven, Conformal invariants of the extrinsic geometry of relativistic membranes, Mod. Phys. Lett. A 11, 2755 (1996).
- S. Kar, Generalized Raychaudhuri equations: Examples, Phys. Rev. D 53, 2071 (1996).
- 110. S. Kar, Generalized Raychaudhuri equations for strings in the presence of an antisymmetric tensor field, Phys. Rev. D **54**, 6408 (1996).
- 111. A. L. Larsen and C. O. Lousto, On the stability of spherical membranes in curved space-time, Nucl. Phys. B 472, 361 (1996).
- 112. M. Pavšič, The relativistic charged membrane and its total mass, Helv. Phys. Acta **69**, 353 (1996).
- 113. K. J. Wiese, Classification of perturbations for membranes with bending rigidity, Phys. Lett. B **387**, 57 (1996).
- 114. M. Abou Zeid and C. M. Hull, *Intrinsic geometry of D-branes*, Phys. Lett. B **404**, 264 (1997).
- R. Capovilla and J. Guven, Extended objects with edges, Phys. Rev. D 55, 2388 (1997).
- 116. R. Capovilla and J. Guven, Geometry of composite relativistic extended objects, Nucl. Phys. B (Proc. Suppl.) 57, 273 (1997).
- 117. V. V. Nesterenko and I. G. Pirozhenko, Justification of the zeta function renormalization in rigid string model, J. Math. Phys. 38, 6265 (1997).

- 118. M. Pavšič, Fock–Schwinger proper time formalism for p-branes, Nucl. Phys. Proc. Suppl. **57**, 265 (1997).
- 119. M. Pavšič, The Dirac-Nambu-Goto p-branes as particular solutions to a generalized unconstrained system, Nuovo Cimento A 110, 369 (1997).
- 120. M. Abou Zeid and C. M. Hull, Geometric actions for D-branes and M-branes, Phys. Lett. B **428**, 277 (1998).
- 121. C. G. Callan and J. M. Maldacena, Brane dynamics from the Born–Infeld action, Nucl. Phys. B **513**, 198 (1998).
- 122. R. Capovilla and J. Guven, *Open strings with topologically inspired boundary conditions*, Class. Quantum Grav. **15**, 1111 (1998).
- 123. R. Capovilla and J. Guven, *Deformations of extended objects with edges*, Phys. Rev. D **57**, 5158 (1998).
- 124. G. W. Gibbons, Born-Infeld particles and Dirichlet p-branes, Nucl. Phys. B **514**, 603 (1998).
- 125. V. V. Nesterenko and I. G. Pirozhenko, *Open rigid string with Gauss-Bonnet term in the action*, Mod. Phys. Lett. A **13**, 2513 (1998).
- 126. M. Pavšič, The unconstrained Stueckelberger-like membranes's action as a reduced Dirac-Nambu-Goto action, Phys. Lett. A **242**, 187 (1998).
- 127. M. Pavšič, Formulation of a relativistic theory without constraints, Found. Phys. 28, 1443 (1998).
- 128. E. Zafiris, Kinematical approach to brane world sheet deformations in space-time, Ann. Phys. **264**, 75 (1998).
- 129. E. Zafiris, Covariant generalization of Codazzi-Raychaudhuri and area change equations for relativistic branes, J. Geom. Phys. 28, 271 (1998).
- 130. E. Zafiris, Generalized Raychaudhuri and area change equations for classical brane models, Phys. Rev. D 58, 043509 (1998).

- 131. I. Bandos, E. Ivanov, A. A. Kapustnikov and S. A. Ulanov, General solution of string inspired nonlinear equations, J. Math. Phys. 40, 5203 (1999).
- 132. G. W. Gibbons, *Branes as BIons*, Class. Quantum Grav. **16**, 1471 (1999).
- 133. G. Arreaga, R. Capovilla and J. Guven, *Noether currents for bosonic branes*, Ann. Phys. **279**, 126 (2000).
- 134. R. A. Battye and B. Carter, Second order Lagrangian and symplectic current for gravitationally perturbed Dirac-Goto-Nambu strings and branes, Class. Quantum Grav. 17, 3325 (2000).
- 135. R. Capovilla, J. Guven and E. Rojas, *ADM worldvolume geometry*, Nucl. Phys. B (Proc. Suppl.) **88**, 337 (2000).
- 136. J. C. Martínez, Bending rigidity of closed membranes in a thermal bath, Phys. Lett. A **266**, 260 (2000).

# F. Rigid Particles and Zitterbewegung

- E. Schrödinger, Sitzungb. Preuss. Akad. Wiss. Phys.–Math. Kl. 24, 418 (1930).
- 2. K. Huang, On the zitterbewegung of the Dirac electron, Am. J. Phys. **20**, 479 (1952).
- 3. B. Liebowitz, A model of the electron, Nuovo Cimento A **63**, 1234 (1969).
- 4. F. Riewe, Generalized mechanics of a spinning particle, Lett. Nuovo Cimento 1, 807 (1971).
- F. Riewe, Relativistic classical spinning-particle mechanics, Nuovo Cimento B 8, 271 (1972).
- 6. R. D. Pisarski, Theory of curved paths, Phys. Rev. D 34, 670 (1986).
- 7. M. S. Plyushchay, Canonical quantization and mass spectrum of relativistic particle analogue of relativistic string with rigidity, Mod. Phys. Lett. A 3, 1299 (1988).

- 8. H. Arodz, A. Sitarz and P. Wegrzyn, On relativistic point particles with curvature dependent actions, Acta Phys. Polon. B **20**, 921 (1989).
- V.V. Nesterenko, Singular Lagrangians with higher derivatives, J. Phys. A 22, 1673 (1989).
- 10. M. Pavšič, The quantization of a point particle with extrinsic curvature leads to the Dirac equation, Phys. Lett. B **221**, 264 (1989).
- 11. M. S. Plyushchay, Massless point particle with rigidity, Mod. Phys. Lett. A 4, 837 (1989).
- M. S. Plyushchay, Massive relativistic point particle with rigidity, Int. J. Mod. Phys. A 4, 3851 (1989).
- 13. M. Huq, P. I. Obiakor and S. Singh, *Point particle with extrinsic curvature*, Int. J. Mod. Phys. A 5, 4301 (1990).
- 14. J. Isberg, U. Lindström and H. Nordström, Canonical quantisation of a rigid particle, Mod. Phys. Lett. A 5, 2491 (1990).
- 15. M. Pavšič, On the consistent derivation of rigid particles from strings, Class. Quantum Grav. 7, L187 (1990).
- 16. M. S. Plyushchay, Relativistic massive particle with higher curvatures as a model for the description of bosons and fermions, Phys. Lett. B 235, 47 (1990).
- 17. M. S. Plyushchay, Relativistic zitterbewegung: the model of spinning particles without Grassmann variables, Phys. Lett. B 236, 291 (1990).
- 18. M. S. Plyushchay, Massless particle with rigidity as a model for the description of bosons and fermions, Phys. Lett. B 243, 383 (1990).
- 19. G. Fiorentini, M. Gasperini and G. Scarpetta, *Is the electron a "rigid"* particle?, Mod. Phys. Lett. A **6**, 2033 (1991).
- 20. D. G. C. McKeon, Classical motion of a point particle with extrinsic curvature, Can. J. Phys. **69**, 830 (1991).
- 21. V. V. Nesterenko, Canonical quantization of a relativistic particle with torsion, Mod. Phys. Lett. A 6, 719 (1991).

- 22. V. V. Nesterenko, Relativistic particle with curvature in an external electromagnetic field, Int. J. Mod. Phys. A 6, 3989 (1991).
- 23. V. V. Nesterenko, Curvature and torsion of the world curve in the action of the relativistic particle, J. Math. Phys. **32**, 3315 (1991).
- 24. V. V. Nesterenko, Relativistic particle with action that depends on the torsion of the world trajectory, Theor. Math. Phys. 86, 169 (1991).
- 25. M. S. Plyushchay, The model of the relativistic particle with torsion, Nucl. Phys. B **362**, 54 (1991).
- 26. M. S. Plyushchay, Does the quantisation of a particle with curvature lead to the Dirac equation?, Phys. Lett. B 253, 50 (1991).
- 27. M. S. Plyushchay, Relativistic particle with torsion, Majorana equation and fractional spin, Phys. Lett. B **262**, 71 (1991).
- 28. Yu. A. Kuznetsov and M. S. Plyushchay, *Tachyonless models of relativistic particles with curvature and torsion*, Phys. Lett. B **297**, 49 (1992).
- 29. V. V. Nesterenko, Torsion in the action of the relativistic particle, Class. Quantum Grav. 9, 1101 (1992).
- 30. J. Govaerts, Relativistic rigid particles: classical tachyons and quantum anomalies, Z. Phys. C 57, 59 (1993).
- 31. Yu. A. Kuznetsov and M. S. Plyushchay, *The model of the relativistic particle with curvature and torsion*, **389**, 181 (1993).
- 32. V. V. Nesterenko, On a model of a relativistic particle with curvature and torsion, J. Math. Phys. **34**, 5589 (1993).
- 33. Yu. A. Kuznetsov and M. S. Plyushchay, (2+1)-dimensional models of relativistic particles with curbature and torsion, J. Math. Phys. **35**, 2772 (1994).
- 34. V. V. Nesterenko, A. Feoli and G. Scarpetta, *Dynamics of relativistic particle with Lagrangian dependent on acceleration*, J. Math. Phys. **36**, 5552 (1995).

- 35. M. S. Plyushchay, Relativistic particle with torsion and charged particle in a constant electromagnetic field: identity of evolution, Mod. Phys. Lett. A 10, 1463 (1995).
- 36. B. P. Kosyakov and V. V. Nesterenko, *Stability of zitterbewegung of a rigid particle*, Phys. Lett. B **384**, 70 (1996).
- 37. V. V. Nesterenko, A. Feoli and G. Scarpetta, Complete integrability for Lagrangians dependent on acceleration in a spacetime of constant curvature, Class. Quantum Grav. 13, 1201 (1996).

#### G. New Brane World

- 1. K. Akama, An attempt at pregeometry, Prog. Theor. Phys. **60**, 1900 (1978).
- 2. K. Akama, Pregeometry, in Proceedings of the Symposium on Gauge Theory and Gravitation, Nara, Japan, 1982, Lecture Notes in Physics 176, ed. by Kikkawa, N. Nakanishi and H. Nariai (Springer, Berlin, 1982).
- 3. K. Akama and H. Terazawa, *Pregeometric origin of the big bang*, Gen. Rel. Grav. **15**, 201 (1983).
- 4. V. A. Rubakov and M. E. Shaposnikov, *Do we live inside a domain wall?*, Phys. Lett. B **125**, 136 (1983).
- 5. V. A. Rubakov and M. E. Shaposnikov, Extra space-time dimensions: towards a solution to the cosmological constant problem, Phys. Lett. B 125, 139 (1983).
- M. Visser, An exotic class of Kaluza-Klein models, Phys. Lett. B 159, 22 (1985).
- E. J. Squires, Dimensional reduction caused by a cosmological constant, Phys. Lett. B 167, 286 (1986).
- 8. M. Pavšič, String model for general relativity and canonical formalism for minimal surfaces, Nuovo Cimento A 95, 297 (1986).

- 9. M. Pavšič, Einstein's gravity from a first order Lagrangian in an embedding space, Phys. Lett. A 116, 1 (1986).
- 10. G. W. Gibbons and D. L. Wiltshire, Spacetime as a membrane in higher dimensions, Nucl. Phys. B **287**, 717 (1987).
- 11. K. Akama and H. Terazawa, *Pregauge-pregeometry and gauge invariant string model*, Prog. Theor. Phys. **79**, 740 (1988).
- 12. K. Akama, *Pregeometry and an extended string action*, Progr. Theor. Phys. **79**, 1299 (1988).
- 13. T. Hori, The universe as a relativistic ball, Phys. Lett. B 222, 188 (1989).
- 14. R. Floreanini and R. Percacci, *Topological pregeometry*, Mod. Phys. Lett. A 5, 2247 (1990)
- 15. H. Terazawa, Various actions for pregeometry, Prog. Theor. Phys. 86, 337 (1991).
- 16. A. Aurilia, A. Smailagic and E. Spallucci, Membrane pregeometry and the vanishing of the cosmological constant, Class. Quantum Grav. 9, 1883 (1992).
- 17. A. A. Bytenko and S. D. Odintsov, *The Casimir energy for bosonic* p-branes compactified on constant curvature space, Class. Quantum Grav. 9, 391 (1992).
- 18. K. Akama and I. Oda, Towards BRST quantization of pregeometry and topological pregeometry, Nucl. Phys. B **397**, 727 (1993).
- 19. M. Pavšič, The embedding model of induced gravity with bosonic sources, Found. Phys. **24**, 1495 (1994).
- 20. M. Pavšič, The embedding model of induced gravity with bosonic sources, Grav. Cosmol. 2, 1 (1996).
- 21. M. Pavšič, On the resolution of time problem in quantum gravity induced from unconstrained membranes, Found. Phys. **26**, 159 (1996).
- 22. I. Bandos, String-like description of gravity and possible applications for F theory, Mod. Phys. Lett. A 12, 799 (1997).

- 23. M. Pavšič, Space-time as an unconstrained membrane, Grav. Cosmol. 3, 305 (1997).
- 24. A. Davidson and D. Karasik, Quantum gravity of a brane-like universe, Mod. Phys. Lett. A 13, 2187 (1998).
- 25. M. Pavšič, Quantum gravity induced from unconstrained membranes, Found. Phys. 28, 1465 (1998).
- 26. I. A. Bandos and W. Kummer, p-branes, Poisson sigma models and embedding approach to (p+1)-dimensional gravity, Int. J. Mod. Phys. A **14**, 4881 (1999).
- 27. A. Davidson,  $\Lambda = 0$  cosmology of a brane-like universe, Class. Quantum Grav. **16**, 653 (1999).
- 28. A. Davidson, D. Karasik and Y. Lederer, Wavefunction of a brane-like universe, Class. Quantum Grav. 16, 1349 (1999).
- 29. W. D. Goldberger, M. B. Wise, *Bulk fields in the Randall–Sundrum compactification scenario*, Phys. Rev. D **60**, 107505 (1999).
- 30. H. Hatanaka, M. Sakamoto, M. Tachibana and K. Takenaga, *Many brane extension of the Randall–Sundrum solution*, Prog. Theor. Phys. **102**, 1213 (1999).
- 31. N. Kaloper, Bent domain walls as brane-worlds, Phys. Rev. D 60, 123506 (1999).
- 32. L. Randall and R. Sundrum, Large mass hierarchy from a small extra dimension, Phys. Rev. Lett. 83, 3370 (1999).
- 33. L. Randall and R. Sundrum, An alternative to compactification, Phys. Rev. Lett. 83, 4690 (1999).
- 34. L. Anchordoqui and S. Pérez Bergliaffa, Wormhole surgery and cosmology on the brane: The world is not enough, Phys. Rev. D 62, 067502 (2000).
- 35. I. Ya. Aref'eva, M. G. Ivanov, W. Mück, K. S. Viswanathan and I. V. Volovich, *Consistent linearized gravity in brane backgrounds*, Nucl. Phys. B **590**, 273 (2000).

- 36. C. Barceló and M. Visser, *Brane surgery: energy conditions, traversable wormholes, and voids, Nucl. Phys. B* **584**, 415 (2000).
- 37. P. Binétruy, J. M. Cline and C. Grojean, *Dynamical instability of brane solutions with a self-tuning cosmological constant*, Phys. Lett. B **489**, 403 (2000).
- 38. P. Binétruy, C. Deffayet, U. Ellwanger and D. Langlois, *Brane cosmological evolution in a bulk with cosmological constant*, Phys. Lett. B 477, 285 (2000).
- 39. P. Binétruy, C. Deffayet and D. Langlois, *Non-conventional cosmology from a brane universe*, Nucl. Phys. B **565**, 269 (2000).
- 40. C. van de Bruck, M. Dorca, R. H. Brandenberger and A. Lukas, Cosmological perturbations in brane world theories: Formalism, Phys. Rev. D 62, 123515 (2000).
- 41. C. van de Bruck, M. Dorca, C. J. A. P. Martins and M. Parry, Cosmological consequences of the brane/bulk interaction, Phys. Lett. B 495, 183 (2000).
- 42. A. Chamblin, S. W. Hawking and H. S. Reall, *Brane world black holes*, Phys. Rev. D **61**, 065007 (2000).
- 43. S. Chang, J. Hisano, H. Nakano, N. Okada and M. Yagamuchi, *Bulk standard model in the Randall–Sundrum background*, Phys. Rev. D **62**, 084025 (2000).
- 44. C. Charmousis, R. Gregory and V. A. Rubakov, Wave function of the radion in a brane world, Phys. Rev. D 62, 067505 (2000).
- 45. C. Czáki, J. Erlich and T. J. Hollowood, Graviton propagators, brane bending and bending of light in theories with quasi-localized gravity, Phys. Lett. B 481, 107 (2000).
- 46. C. Csáki, J. Erlich, T. J. Hollowood and Y. Shirman, *Universal aspects of gravity localized on thick branes*, Nucl. Phys. B **581**, 309 (2000).
- 47. C. Csáki and Y. Shirman, Brane junctions in the Randall–Sundrum scenario, Phys. Rev. D **61**, 024008 (2000).
- 48. C. Csáki, M. Graesser, L. Randall and J. Terning, Cosmology of brane models with radion stabilization, Phys. Rev. D 62, 045015 (2000).

- 49. N. Dadhich, Negative energy condition and black holes on the brane, Phys. Lett. B **492**, 357 (2000).
- 50. N. Dadhich, R. Maartens, P. Papadopoulos and V. Rezania, *Black holes on the brane*, Phys. Lett. B **487**, 1 (2000).
- 51. S. R. Das, S. P. Trivedi and S. vaidya, Magnetic moments of branes and giant gravitons, JHEP 10, 037 (2000).
- 52. R. Dick, Which action for brane worlds?, Phys. Lett. B **491**, 333 (2000).
- 53. R. Dick and D. Mikulović, Gravity and the Newtonian limit in the Randall-Sundrum model, Phys. Lett. B 476, 363 (2000).
- 54. S. L. Dubovsky and V. A. Rubakov, *Brane world: Disappearing massive matter*, Phys. Rev. D **62**, 105011 (2000).
- 55. S. L. Dubovsky, V. A. Rubakov and P. G. Tinyakov, *Is the electric charge conserved in brane world?*, JHEP 08, 041 (2000).
- 56. G. Dvali, G. Gabadadze and M. Porrati, A comment on brane bending and ghosts in theories with infinite extra dimensions, Phys. Lett. B 484, 129 (2000).
- 57. G. Dvali, G. Gabadadze and M. Porrati, 4D gravity on a brane in 5D Minkowski space, Phys. Lett. B 485, 208 (2000).
- 58. U. Ellwanger, Constraints on a brane world from the vanishing of the cosmological constant, Phys. Lett. B 473, 233 (2000).
- 59. E. E. Flanagan, S. H. Henry Tye and I. Wasserman, A cosmology of the brane world, Phys. Rev. D **62**, 024011 (2000).
- 60. E. E. Flanagan, S. H. Henry Tye and I. Wasserman, Cosmological expansion in the Randall–Sundrum brane world scenario, Phys. Rev. D 62, 044039 (2000).
- 61. S. Förste, Z. Lalak, S. Lavignac and H. P. Nilles, A comment on self-tuning and vanishing cosmological constant in the brane world, Phys. Lett. B **481**, 360 (2000).
- 62. S. Förste, Z. Lalak, S. Lavignac and H. P. Nilles, *The cosmological constant problem from a brane-world perspective*, JHEP 09, 034 (2000).

- 63. J. Garriga and M. Sasaki, *Brane world creation and black holes*, Phys. Rev. D **62**, 043523 (2000).
- 64. J. Garriga and T. Tanaka, *Gravity in the brane world*, Phys. Rev. Lett **84**, 2778 (2000).
- 65. J. Gauntlett, *Brane new worlds*, Nature **404**, 28 (2000).
- 66. G. Gibbons, *Brane-worlds*, Science **287**, 49 (2000).
- 67. S. B. Giddings, E. Katz and L. Randall, *Linearized gravity in brane backgrounds*, JHEP 03, 023 (2000).
- 68. M. Gogberashvili, Our world as an expanding shell, Europhys. Lett. 49, 396 (2000).
- 69. M. Gogberashvili, Brane-universe in six dimensions with two times, Phys. Lett. B **484**, 124 (2000).
- 70. C. Gómez, B. Janssen and P. Silva, *Dilatonic Randall–Sundrum theory and renormalization group*, JHEP 04, 024 (2000).
- 71. C. Gómez, B. Janssen and P. J. Silva, *Brane world with bulk horizons*, JHEP 04, 027 (2000).
- 72. P. F. González-Díaz, Quintessence in brane cosmology, Phys. Lett. B 481, 353 (2000).
- 73. A. Gorsky and K. Selivanov, *Tunneling into the Randall-Sundrum brane world*, Phys. Lett. B **485**, 271 (2000).
- 74. R. Gregory, V. A. Rubakov and S. M. Sibiryakov, *Brane worlds*" the gravity of escaping matter, Class. Quantum Grav. 17, 4437 (2000).
- 75. R. Gregory, V. A. Rubakov and S. M. Sibiryakov, *Gravity and anti-gravity in a brane world with metastable gravitons*, Phys. Lett. B **489**, 203 (2000).
- S. W. Hawking, T. Hertog and H. S. Reall, *Brane new world*, Phys. Rev. D 62, 043501 (2000).
- 77. J. Hisano and N. Okada, On effective theory of brane world with small tension, Phys. Rev. D **61**, 106003 (2000).

- 78. D. Ida, Brane world cosmology, JHEP 09, 014 (2000).
- 79. J. Jiang, T. Li and D. Margatia, *Brane networks in AdS space*, Phys. Lett. B **492**, 187 (2000).
- 80. Z. Kakushadze, Why the cosmological problem is hard, Phys. Lett. B 488, 402 (2000).
- 81. Z. Kakushadze, *Bulk supersymmetry and brane cosmology*, Phys. Lett. B **489**, 207 (2000).
- 82. Z. Kakushadze, Conformal brane world and cosmological constant, Phys. Lett. B **491**, 317 (2000).
- 83. G. Kang and Y. S. Myung, No ghost state in the brane world, Phys. Lett. B 483, 235 (2000).
- 84. H. B. Kim, Cosmology of Randall–Sundrum models with an extra dimension stabilized by balancing bulk matter, Phys. Lett. B 478, 285 (2000).
- 85. J. E. Kim and B. Kyae, Exact cosmological solution and modulus stabilization in the Randall–Sundrum model with bulk matter, Phys. Lett. B 486, 165 (2000).
- 86. J. E. Kim, B. Kyae and H. M. Lee, Various modified solutions of the Randall-Sundrum model with the Gauss-Bonnet interaction, Nucl. Phys. B **582**, 296 (2000); Erratum, ibid **591**, 587 (2000).
- 87. J. E. Kim, B. Kyae and H. M. Lee, *Effective Gauss–Bonnet interaction in Randall–Sundrum compactification*, Phys. Rev. D **62**, 045013 (2000).
- 88. H. Kodama, A. Ishibashi and O. Seto, *Brane world cosmology: Gauge invariant formalism for perturbation*, Phys. Rev. D **62**, 064022 (2000).
- 89. I. I. Kogan and G. G. Ross, Brane universe and multigravity: modification of gravity at large and small distances, Phys. Lett. B **485**, 255 (2000).
- 90. K. Koyama and J. Soda, Birth of the brane world, Phys. Lett. B 483, 432 (2000).

- 91. D. Langlois, *Brane cosmological perturbations*, Phys. Rev. D **62**, 126012 (2000).
- 92. D. Langlois, R. Maartens and D. Wands, *Gravitational waves from inflation on the brane*, Phys. Lett. B **489**, 259 (2000).
- 93. J. Lesgourges, S. Pastor, M. Peloso and L. Sorbo, Cosmology of the Randall-Sundrum model after dilaton stabilization, Phys. Lett. B 489, 411 (2000).
- 94. I. Low and A. Zee, Naked singularity and Gauss–Bonnet term in brane world scenarios, Nucl. Phys. B **585**, 395 (2000).
- 95. A. Mazumdar and J. Wang, A note on brane inflation, Phys. Lett. B **490**, 251 (2000).
- 96. M. Mintchev and L. Pilo, *Localization of quantum field on branes*, Nucl. Phys. B **592**, 219 (2000).
- 97. W. Mück, K. S. Viswanathan and I. Volovich, *Geodesics and Newton's law in brane backgrounds*, Phys. Rev. D **62**, 105019 (2000).
- 98. S. Mukohyama, Brane world solutions, standard cosmology, and dark radiation, Phys. Lett. B **473**, 241 (2000).
- 99. S. Mukohyama, Global structure of exact cosmological solutions in the brane world, Phys. Rev. D **62**, 024028 (2000); Erratum, ibid **63**, 029901 (2001).
- 100. Y. S. Myung, G. Kang and H. W. Lee, Randall-Sundrum choice in the brane world, Phys. Lett. B 478, 294 (2000).
- 101. S. Nam, Modeling a network of brane worlds, JHEP 03, 005 (2000).
- 102. S. Nam, Mass gap in Kaluza-Klein spectrum in a network of brane worlds, JHEP 04, 002 (2000).
- 103. I. P. Neupane, Consistency of giher derivative gravity in the brane background, JHEP 09, 040 (2000).
- 104. S. Nojiri and S. D. Odintsov, *Brane world inflation induced by quantum effects*, Phys. Lett. B **484**, 119 (2000).

- 105. S. Nojiri and S. D. Odintsov, Can we live on the brane in Schwarzschild—anti de Sitter black hole?, Phys. Lett. B **493**, 153 (2000).
- 106. T. Ozeki and N. Shimoyana, Four-dimensional Planck scale is not universal in fifth dimension in Randrall-Sundrum scenario, Prog. Theor. Phys. 103, 1227 (2000).
- 107. S. K. Rama, Brane world scenario with m-form field: stabilisation of radion modulus and sel-tuning solutions, Phys. Lett. B 495, 176 (2000).
- 108. S. Randjbar–Daemi and M. Shaposhnikov, On some new warped brane world solutions in higher dimensions, Phys. Lett. B **491**, 329 (2000).
- M. Sasaki, T. Shiromizu and K.-I. Maeda, Gravity, stability and energy conservation on the Randall-Sundrum brane world, Phys. Rev. D 62, 024008 (2000).
- 110. H. Stoica, S. H. Henry Tye and I. Wasserman, Cosmology in the Randall-Sundrum brane world scenario, Phys. Lett. B **482**, 205 (2000).
- 111. T. Tanaka and X. Montes, Gravity in the brane world for two-branes model with stabilized modulus, Nucl. Phys. B **582**, 259 (2000).
- 112. T. Tanaka, Asymptotic behavior of perturbations in Randall–Sundrum brane world, Prog. Theor. Phys. **104**, 545 (2000).
- 113. D. J. Toms, Quantised bulk fields in the Randall-Sundrum compactification model, Phys. Lett. B **484**, 149 (2000).
- 114. D. Youm, Solitons in brane worlds. I, II, Nucl. Phys. B **576**, 106, 139 (2000).
- 115. D. Youm, *Probing solitons in brane worlds*, Nucl. Phys. B **576**, 123 (2000).
- 116. D. Youm, *Extra force in brane worlds*, Phys. Rev. D **62**, 084002 (2000).
- 117. D. Youm, Dilatonic p-branes and brane worlds, Phys. Rev. D 62, 084007 (2000).

118. Z. Kakushadze, Gravity in Randall–Sundrum brane world revisited, Phys. Lett. B  $\bf 497,\,125$  (2001).